Hand Brush, 330 mm, Soft, Pink





Remove flour and fine particles from conveyor belts, food preparation surfaces, tables and equipment with this Hand Brush. Suitable for use with the Vikan Dustpan 5660x.

Technical Data

Adaterial Polypropylene Polyester Stainless Steel (A 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice CDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Jose of phthalates and bisphenol A S Halal and Kosher compliant Design Registration No. EU 002175075- 30x Quantity 15 F Quantity per Pallet (80 x 120 x 200 cm) 1500 Luantity Per Layer (Pallet) 30x Length 30x Width 295 F 30x Width 30x Height 110 F Width 330 F Weight bag 0,0056 Weight cardboard 10,173 Tare total Complies with (EC) 1935/2004 on food contact materials Polypropylene Polyester Stainless Steel (A 304) No. 1907/2006 S P S P S P S P S P S P S P S	Item Number	45871
Polyester Stainless Steel (A 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice EDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002175075- Sox Quantity Lountity Per Layer (Pallet) Sox Length Sox Length Sox Height Length Length Midth Let Weight Weight bag Weight cardboard Foress Weight Cubik metre O,001271 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (food contact)	Visible bristle length	52 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice EDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002175075- BOX Quantity Equantity per Pallet (80 x 120 x 200 cm) Equantity Per Layer (Pallet) Equation Per Layer (Pallet) Equantity Per Layer (Pallet) Equantity Per Layer (Pallet) Equation Per Layer (Pallet) Eq	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002175075- Sox Quantity In European International Interna	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002175075- Box Quantity 15 F Quantity Per Pallet (80 x 120 x 200 cm) 1560 Quantity Per Layer (Pallet) 20 F 20 Sox Length 20 Sox Width 20 Sox Width 20 Sox Height 140 20 Sox Height 140 20 Sox Height 20 Sox Height 21 Sox Height 22 Sox Height 23 Sox Height 24 Sox Height 25 Sox Height 26 Sox Height 27 Sox Height 28 Sox Height 29 Sox Height 20 Sox Height	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A s Halal and Kosher compliant Design Registration No. EU 002175075- Box Quantity 15 F Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Sox Width 295 F Box Height 140 F Box Height 1	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A s Halal and Kosher compliant Design Registration No. EU 002175075- Box Quantity Cuantity Per Pallet (80 x 120 x 200 cm) Cuantity Per Layer (Pallet) Cox Length Cox Width Cox Width Cox Height	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Design Registration No. EU 002175075- Box Quantity Cuantity per Pallet (80 x 120 x 200 cm) Cuantity Per Layer (Pallet) Cox Length Cox Length Cox Height Cox Heig	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. EU 002175075-30x Quantity 15 F Quantity per Pallet (80 x 120 x 200 cm) 1560 F Quantity Per Layer (Pallet) 120 F Sox Length 390 F Sox Width 295 F Sox Height 140 F Sox Width 350 F Sox Width 350 F Sox Height 140 F Sox Heigh	Use of phthalates and bisphenol A	No
Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Quant	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height Length Sox Height Length Width Sox Height Length Note Weight Neight bag Note the Weight Neight cardboard Fores Weight Cubik metre Quantity per Pallet (80 x 120 x 200 cm) 120 F Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) 120 F 120 F 121 F 120 F 120 F 120 F 120 F 121 F 120 F 121 F 120	Design Registration No.	EU 002175075-1-2
Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height Length Sox Height So	Box Quantity	15 Pcs.
Box Length 390 and Box Width 295 and Box Height 140 and Box Height 330 and Box Height 330 and Box Height 330 and Box Height 110	Quantity per Pallet (80 x 120 x 200 cm)	1560 Pcs
Box Width 295 and Box Height 140 and Box Height 330 and Box Height 330 and Box Height 330 and Box Height 110	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 140 Length 330 Width 35 Height 110 Net Weight 0,17 Weight bag 0,0056 Weight cardboard 0,0173 Fare total 0,0229 Bross Weight 0,19 Cubik metre 0,001271 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Box Length	390 mm
Length 330 Nidth 35 Height 110 Net Weight 0,177 Weight bag 0,0056 Weight cardboard 0,0173 Fare total 0,0229 Gross Weight 0,19 Cubik metre 0,001271 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Box Width	295 mm
Vidth35Height110Net Weight0,17Veight bag0,0056Weight cardboard0,0173Fare total0,0229Gross Weight0,19Cubik metre0,001271Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)100	Box Height	140 mm
Height 100 Net Weight 0,17 Neight bag 0,0056 Neight cardboard 0,0173 Fare total 0,0229 Bross Weight 0,19 Cubik metre 0,001271 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Length	330 mm
Neight bag 0,0056 Neight cardboard 0,0173 Fare total 0,0229 Cross Weight 0,19 Cubik metre 0,001271 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Width	35 mm
Veight bag0,0056Veight cardboard0,0173Fare total0,0229Bross Weight0,19Cubik metre0,001271Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)100	Height	110 mm
Veight cardboard0,0173Fare total0,0229Bross Weight0,19Cubik metre0,001271Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)100	Net Weight	0,17 kg
Tare total 0,0229 Gross Weight 0,19 Cubik metre 0,001271 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Weight bag	0,0056 kg
Cubik metre 0,001271 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Weight cardboard	0,0173 kg
Cubik metre 0,001271 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Tare total	0,0229 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 121	Gross Weight	0,19 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 100	Cubik metre	0,001271 M3
Max usage temperature (food contact) 100	Recommended sterilisation temperature (Autoclave)	121 °C
	Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact) 100	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
Min. usage temperature ³ -20	Min. usage temperature ³	-20 °C
Max. drying temperature 100	Max. drying temperature	100 °C
Min. pH-value in usage concentration 2	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10,5	Max. pH-value in Usage Concentration	10,5 pH

6/11/2021 2/3

Country of origin	Denmark
Customs Tariff No.	96039099
GTIN-14 Number (Box quantity)	15705020458719
Gtin-13 Number	5705020458712

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below $0\,^{\circ}$ Celsius.

6/11/2021 3/3