## Foam sprayer incl. jet spray, 1/2"(Q), 1.4 Litre, Yellow





Clean sanitary and small processing areas, applying foam at normal water pressure. Ensures consistently correct dosage (0.4–10%). Colour-coding facilitates chemical identification. Safeone (9340) is recommended for protection against chemical reflux in potable water supplies and is approved according to EN 1717 - substance class 3.

## **Technical Data**

Couplings Size         1/2 "           Content         1,4 Litre           Content         47,34 Floz           Material         Brass Brass           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           SCIP number         **           Use of phthalates and bisphenol A         No           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         175 mm           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Gross Weight         0,88 kg           Cubic metre         0,0064 kg           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (Dishwasher)         40 °C           Min. usage temperature (Dishwasher)         40 °C           Min. usage temperature (Dishwasher)         40 °C           Min. ph-value in usage Concentration         2 par           Min. Dish-value	Item Number	93056
Content         47,34 Floz           Material         Brass Orgalloy TSGZ 15           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           SCIP number         Vestable           Use of phthalates and bisphenol A         No           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 kg           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature*         5 °C           Min. pH-value in usage Concentration         11 pH           Max. ph-value in Usage Concentration         11 pH           Min. Bars pressure         6 Bar           Max. bars pressure         6 Bar	Couplings Size	1/2 "
Material         Brass Orgalloy TSGZ 15           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           SCIP number         Vo.           Use of phthalates and bisphenol A         No.           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. pH-value in usage concentration         1 pH           Max. ph-value in Usage Concentration         1 pH           Min. Bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Content	1,4 Litre
Meets the REACH Regulation (EC) No. 1907/2006         Yes **           SCIP number         Use of phthalates and bisphenol A         No           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         290 mm           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperatures         5 °C           Min. pH-value in usage Concentration         11 pH           Max. ph-value in Usage Concentration         11 pH           Min. Bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Content	47,34 Fl oz
SCIP number         No           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Min. usage temperature (non food contact)         40 °C           Min. usage temperature*         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Material	Orgalloy
Use of phthalates and bisphenol A         No           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperatures         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         6 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	SCIP number	
Quantity per Pallet (80 x 120 x 200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Min. usage temperature (non food contact)         40 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Use of phthalates and bisphenol A	No
Quantity Per Layer (Pallet)         1 Pcs.           Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Box Quantity	1 Pcs.
Box Length         290 mm           Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Quantity per Pallet (80 x 120 x 200 cm)	160 Pcs
Box Width         190 mm           Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Min. usage temperature (non food contact)         40 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Quantity Per Layer (Pallet)	1 Pcs.
Box Height         175 mm           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Min. usage temperature (non food contact)         40 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Box Length	290 mm
Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Box Width	190 mm
Width         190 mm           Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Box Height	175 mm
Height         175 mm           Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Length	290 mm
Net Weight         0,72 kg           Weight cardboard         0,162 kg           Tare total         0,162 kg           Gross Weight         0,88 kg           Cubik metre         0,009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Width	190 mm
Weight cardboard0,162 kgTare total0,162 kgGross Weight0,88 kgCubik metre0,009642 M3Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Height	175 mm
Tare total0,162 kgGross Weight0,88 kgCubik metre0,009642 M3Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Net Weight	0,72 kg
Gross Weight 0,88 kg Cubik metre 0,009642 M3  Max. cleaning temperature (Dishwasher) 40 °C  Max usage temperature (non food contact) 40 °C  Min. usage temperature³ 5 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 11 pH  Min. Bars pressure 2 Bar  Max. bars pressure 6 Bar  Gtin-13 Number 5705020930560  Customs Tariff No. 84818099	Weight cardboard	0,162 kg
Cubik metre0,009642 M3Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Tare total	0,162 kg
Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Gross Weight	0,88 kg
Max usage temperature (non food contact)40 °CMin. usage temperature35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Cubik metre	0,009642 M3
Min. usage temperature35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Max. cleaning temperature (Dishwasher)	40 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Max usage temperature (non food contact)	40 °C
Max. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Min. usage temperature <sup>3</sup>	5 °C
Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Min. pH-value in usage concentration	2 pH
Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Max. pH-value in Usage Concentration	11 pH
Gtin-13 Number       5705020930560         Customs Tariff No.       84818099	Min. Bars pressure	2 Bar
Customs Tariff No. 84818099	Max. bars pressure	6 Bar
	Gtin-13 Number	5705020930560
Country of origin Denmark	Customs Tariff No.	84818099
	Country of origin	Denmark

When the foam application is finalized, it is important to rinse the injector with clean water to avoid blocking of the nozzle. Screw the injector of the container and let it suck clean water through the suction hose to enable hose, filter and nozzle to be rinsed for chemicals.

5/25/2021 2/3

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

5/25/2021 3/3