29623

Ultra Hygienic Handle, Ø32 mm, 1500 mm, Blue





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

Technical Data

Width32 mmHeight32 mmNet Weight0,45 kg	Item Number	29623
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU 0008521926-0001- 0005Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmLength0,0408 kgGross Weight0,449 kgCubik metre0,00156 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (Dishwasher)20 °CMax usage temperature (ID food contact)100 °C<	Material	
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 000521926-0001-0005 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1520 mm Box Width 200 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Length 1500 mm Width 32 mm Registr Cardboard 0,0408 kg Tare total 0,0408 kg Gross Weight 0,44 kg Cubik metre 0,00158 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature 20 °C Max. c	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU 008521926-0001- 0005Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length1520 mmBox Width200 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmLength0,0408 kgTare total0,0408 kgGross Weight0,418 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. drying temperature-20 °CMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsYes		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 008521926-0001- 0005 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Length 1500 mm Width 32 mm Length 0,0408 kg Tare total 0,0408 kg Gross Weight 0,418 kg Cubik metre 0,001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "7", Miscellaneous Plastics Yes <th>FDA compliant raw material (CFR 21)</th> <th>Yes</th>	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 008521926-0001- 0005 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Length 1500 mm Width 32 mm Height 0,45 kg Weight cardboard 0,448 kg Gross Weight 0,440 kg Cubik metre 0,001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Iosh contact) 100 °C Max. usage temperature (non food contact) 100 °C Max. drying temperature -20 °C Max. drying temperature -20 °C Max. drying temperature -20 °C Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. cleining Symbol "7", Miscellaneous Plastics Yes	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Design Registration No. EU 008521926-0001- 0005 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 1520 mm Box Width 200 mm Box Height 80 mm Product Diameter 32 mm Length 1500 mm Width 32 mm Height 32 mm Keight 0,0408 kg Gross Weight 0,448 kg Cubik metre 0,001536 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Max. drying temperature -20 °C Max. drying temperature 20 °C Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.EU 008521926-0001- 0005Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmLength1500 mmWidth32 mmLength0,040 kgGross Weight0,45 kgWeight cardboard0,0408 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax. drying temperature100 °CMax. drying temperature20 °CMax. pH-value in usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Use of phthalates and bisphenol A	No
0005Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)400 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length1520 mmBox Width200 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmHeight32 mmNet Weight0.45 kgWeight cardboard0.0408 kgTare total0.001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMax. drying temperature2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)400 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmLength1500 mmWidth32 mmLength0,45 kgWeight cardboard0,0408 kgGross Weight0,41 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Design Registration No.	
Quantity Per Layer (Pallet)40 Pcs.Box Length1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmHeight32 mmNet Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Box Quantity	10 Pcs.
Box Length1520 mmBox Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmHeight32 mmNet Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Quantity per Pallet (80 x 120 x 200 cm)	400 Pcs
Box Width200 mmBox Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmHeight32 mmNet Weight0,45 kgWeight cardboard0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmLength1500 mmWidth32 mmHeight32 mmNet Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,449 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Box Length	1520 mm
Product Diameter32 mmLength1500 mmWidth32 mmHeight32 mmNet Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Box Width	200 mm
Length1500 mmWidth32 mmHeight32 mmNet Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Box Height	80 mm
Width32 mmHeight32 mmNet Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Product Diameter	32 mm
Height32 mmNet Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Length	1500 mm
Net Weight0,45 kgWeight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Width	32 mm
Weight cardboard0,0408 kgTare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Height	32 mm
Tare total0,0408 kgGross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Net Weight	0,45 kg
Gross Weight0,49 kgCubik metre0,001536 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Weight cardboard	0,0408 kg
Cubik metre0,001536M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Tare total	0,0408 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Gross Weight	0,49 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Cubik metre	0,001536 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max. drying temperature	100 °C
Recycling Symbol "7", Miscellaneous Plastics Yes	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10,5 pH
Gtin-13 Number 5705020296239	Recycling Symbol "7", Miscellaneous Plastics	Yes
	Gtin-13 Number	5705020296239

GTIN-14 Number (Box quantity)	15705020296236
Customs Tariff No.	96039010
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.