## Replacement Cassette, Hygienic, 400 mm, Yellow



Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7712x and 7722x).

## **Technical Data**

TPÉ Rubber	Item Number	77326
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB, DE 602003048400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Box Length         415 mm           Box Width         295 mm           Box Height         210 mm           Width         30 mm           Height         45 mm           Net Weight bag         0,005 kg           Weight cardboard         0,012 kg           Gross Weight         0,14 kg           Cubik metre         0,00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (Ioshwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         2	Material	
Manufacturing Practice   FDA compliant raw material (CFR 21)   Yes	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Patent Pending/Patent No.  Bay Quantity Bay Quantity Bay Quantity Bay Quantity Bay Quantity Per Layer (Pallet) Bay Width Bay Height Length Ado mm Width Bay Height Ado mm Width Ado mm Width Ado mm Width Ado mm Weight Ado mm Weight Ado mm Net Weight Ado monthe	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20         Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960         Pcs.           Quantity Per Layer (Pallet)         120         Pcs.           Box Length         415         mm           Box Width         295         mm           Box Width         295         mm           Box Height         210         mm           Length         400         mm           Width         30         mm           Height         45         mm           Net Weight         0,12         kg           Weight bag         0,003         kg           Weight cardboard         0,012         kg           Gross Weight         0,14         kg           Cubik metre         0,00054         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (Dishwasher)         93         °C	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20         Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960         Pcs.           Quantity Per Layer (Pallet)         120         Pcs.           Box Length         415         mm           Box Width         295         mm           Box Height         210         mm           Length         400         mm           Width         30         mm           Height         45         mm           Net Weight         0,12         kg           Weight bag         0,003         kg           Weight cardboard         0,012         kg           Gross Weight         0,14         kg           Cubik metre         0,00054         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (Dishwasher)         93         °C           Max usage temperature (non food contact)         50         °C           Max. drying temperature         100 <t< td=""><td>Complies with UK 2019 No. 704 on food contact materials</td><td>Yes</td></t<>	Complies with UK 2019 No. 704 on food contact materials	Yes
Name	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending/Patent No.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Box Quantity  Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Box Width  295 mm  Box Height  Length  400 mm  Width  30 mm  Height  45 mm  Net Weight  45 mm  Net Weight  400 dight  45 mm  Net Weight bag  Quantity  Weight cardboard  70 cross Weight  Cubik metre  10 0,0054 kg  Cubik metre  10 0,0054 kg  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Max. drying temperature  Max. pH-value in usage concentration  10,5 pH  Max. pH-value in usage Concentration  10,5 pH	Use of phthalates and bisphenol A	No
DK, DE, FR and GB. DE 602008048400.9   Pcs.	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Box Length         415 mm           Box Width         295 mm           Box Height         210 mm           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight         0,12 kg           Weight bag         0,0063 kg           Weight cardboard         0,0127 kg           Tare total         0,0127 kg           Gross Weight         0,14 kg           Cubik metre         0,00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Patent Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)         120 Pcs.           Box Length         415 mm           Box Width         295 mm           Box Height         210 mm           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight bag         0,003 kg           Weight cardboard         0,012 kg           Tare total         0,012 kg           Gross Weight         0,14 kg           Cubik metre         0,00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -30 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Quantity	20 Pcs.
Box Length         415 mm           Box Width         295 mm           Box Height         210 mm           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight bag         0,012 kg           Weight cardboard         0,0127 kg           Tare total         0,019 kg           Gross Weight         0,14 kg           Cubik metre         0,00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         2 pH           Max. drying temperature         10,5 pH           Max. pH-value in usage Concentration         10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width         295 mm           Box Height         210 mm           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight         0,12 kg           Weight bag         0,0063 kg           Weight cardboard         0,0127 kg           Tare total         0,0127 kg           Gross Weight         0,14 kg           Cubik metre         0,00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Quantity Per Layer (Pallet)	120 Pcs.
Box Height         210 mm           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight         0,12 kg           Weight bag         0,0063 kg           Weight cardboard         0,0127 kg           Tare total         0,019 kg           Gross Weight         0,14 kg           Cubik metre         0,00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Length	415 mm
Length         400 mm           Width         30 mm           Height         45 mm           Net Weight bag         0,012 kg           Weight cardboard         0,0127 kg           Tare total         0,019 kg           Gross Weight         0,14 kg           Cubik metre         0,00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Width	295 mm
Width 30 mm Height 45 mm Net Weight 0,12 kg Weight bag 0,0063 kg Weight cardboard 0,0127 kg Tare total 0,019 kg Gross Weight 0,14 kg Cubik metre 0,00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Height	210 mm
Height45 mmNet Weight0,12 kgWeight bag0,0063 kgWeight cardboard0,0127 kgTare total0,019 kgGross Weight0,14 kgCubik metre0,00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)50 °CMax usage temperature100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Length	400 mm
Net Weight bag0,12 kgWeight bag0,0063 kgWeight cardboard0,0127 kgTare total0,019 kgGross Weight0,14 kgCubik metre0,00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Width	30 mm
Weight bag0,0063 kgWeight cardboard0,0127 kgTare total0,019 kgGross Weight0,14 kgCubik metre0,00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Height	45 mm
Weight cardboard0,0127 kgTare total0,019 kgGross Weight0,14 kgCubik metre0,00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Net Weight	0,12 kg
Tare total 0,019 kg Gross Weight 0,14 kg Cubik metre 0,00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -30 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight bag	0,0063 kg
Gross Weight 0,14 kg  Cubik metre 0,00054 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 50 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -30 °C  Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,0127 kg
Cubik metre0,00054M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Tare total	0,019 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -30 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10,5 pH	Gross Weight	0,14 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,00054 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (food contact)	50 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Min. usage temperature <sup>3</sup>	-30 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
<b>Gtin-13 Number</b> 5705020773266	Max. pH-value in Usage Concentration	10,5 pH
	Gtin-13 Number	5705020773266

6/11/2021 2/3

GTIN-14 Number (Box quantity)	15705020773263
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

6/11/2021

3/3