Hygienic Hand Squeegee w/replacement cassette, 250 mm, White





Designed for removing water and waste while maintaining high levels of hygiene, this squeegee comes with a replacement cassette that is easily removed for cleaning or replacement (Series 7731 replacement blades).

Technical Data

TPÉ Rubber TPÉ	Item Number	77115
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials West the REACH Regulation (EC) No. 1907/2006 Yes West of phthalates and bisphenol A Is Halal and Kosher compliant Patent Pending/Patent No. BEP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity Patent Pending/Patent No. Box Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Posses Box Length Posses Box Height Posses Box Heigh	Material	
Manufacturing Practice FDA compliant raw material (CFR 21) Yes	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag 0,004 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Tood contact) 50 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 20 °C	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight bag 0,043 kg Weight cardboard 0,013 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 50 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	FDA compliant raw material (CFR 21)	Yes
No	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Width Box Width 295 mm Box Height Length 250 mm Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag Weight cardboard Tare total Gross Weight Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Took contact) Max usage temperature (food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. pH-value in usage concentration Max. pH-value in usage Concentration Max. pH-value in usage Concentration Pcs. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, ER and GB. DE 6020080484 EP2227129 validated in DK, DE, ER and GB. DE 6020080484 EP2227129 validated in DK, DE, ER and GB. DE 60200804 EP2227129 validated in DK, DE, ER and GB. DE 60200804 EP2227129 validated in DK, DE, ER and GB. DE 60200804 EP2227129 validated in DK, DE, ER and GB. DE 60200804 EP2227129 validated in DK, DE, ER and GB. DE 60200804 EP2227129 validated in DK, DE, ER and GB. DE 60200804 EP2227129 validated i	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Width Box Width 295 mm Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight 90,0043 kg Weight cardboard 70,0173 kg Gross Weight 70,01663 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration Pcs. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 960 Pcs 020208048400.9 960 Pcs 960 Pcs	Use of phthalates and bisphenol A	No
DK, DE, FR and GB. DE 602008048400.9 Pcs.	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Patent Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet) 120 Pcs. Box Length 515 mm Box Width 295 mm Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Quantity	20 Pcs.
Box Length 515 mm Box Width 295 mm Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Gross Weight 0,0173 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width 295 mm Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight 0,022 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 210 mm Length 250 mm Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Length	515 mm
Length 250 mm Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Width	295 mm
Width 70 mm Height 95 mm Net Weight 0,22 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Height	210 mm
Net Weight 0,22 kg Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,0173 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Length	250 mm
Net Weight bag0,22 kgWeight bag0,0043 kgWeight cardboard0,013 kgTare total0,0173 kgGross Weight0,24 kgCubik metre0,001663 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Width	70 mm
Weight bag 0,0043 kg Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Tool contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Height	95 mm
Weight cardboard 0,013 kg Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Max. drying temperature (Max. drying temperature (Max. pH-value in usage Concentration 10,5 pH	Net Weight	0,22 kg
Tare total 0,0173 kg Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight bag	0,0043 kg
Gross Weight 0,24 kg Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,013 kg
Cubik metre 0,001663 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Tare total	0,0173 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Gross Weight	0,24 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,001663 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Max usage temperature (food contact)	50 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020771156	Max. pH-value in Usage Concentration	10,5 pH
	Gtin-13 Number	5705020771156

6/10/2021 2/3

GTIN-14 Number (Box quantity)	15705020771153
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

6/10/2021 3/3