Condensation squeegee, 400 mm, Blue





Designed to effectively remove condensation from ceilings and pipes during production, this Condensation Squeegee features drain holes that allow condensation to be collected safely in a bottle or drained away through an attached hose.

Technical Data

Item Number	77163
Material	Polypropylene TPE Rubber
Complies with (EC) 1935/2004 on food contact materials ¹	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Patent Pending/Patent No.	EP2384681 validated in DE, FR and GB. DK177048
Box Quantity	3 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	306 Pcs
Quantity Per Layer (Pallet)	0 Pcs.
Box Length	445 mm
Box Width	260 mm
Box Height	110 mm
Length	400 mm
Width	130 mm
Height	80 mm
Net Weight	0,28 kg
Weight bag	0,012 kg
Weight cardboard	0,038 kg
Tare total	0,05 kg
Gross Weight	0,33 kg
Cubik metre	0,00416 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10,5 pH
Gtin-13 Number	5705020775635
GTIN-14 Number (Box quantity)	15705020775632
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

6/10/2021 3/3