Nylon Hand Scraper, 100 mm, Red





Suitable for loosening stubborn dirt like pastry, chocolate, burnt on food, etc. on smooth surfaces. The nylon blade is a good alternative to a stainless steel blade and can be used on sensitive surfaces to avoid scratches on equipment and sensitive conveyor belts. The hard blade can withstand hot surfaces when used at intervals of max. 2 minutes at a time.

Technical Data

Material Nylon Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Width 235 mm Width 100 mm Height 235 mm Width 100 mm Height bag 0,0040 kg Weight bag 0,0040 kg Weight cardboard 0,006 kg Tare total 0,0100 kg Gross Weight 0,09 kg Cubik metre 0,0047 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C	Item Number	40134
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 175 °C	Blade Thickness	2,7 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 175 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in usage concentration 10,5 pH	Material	•
Manufacturing Practice Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 260 mm Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,0402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (non food contact) 175 °C Min. pH-value in usage concen	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,009 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 32 °C Max usage temperature (food contact) 175 °C Max usage temperatures (non food contact) 175 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in usage concentration 10,5 pH Recy	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Net Weight 0,076 kg Weight bag 0,0402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature in (non food contact) 175 °C Min. usage temperature as emperature in usage concentration 2 pH Max. pH-value in usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 </th <th>FDA compliant raw material (CFR 21)</th> <th>Yes</th>	FDA compliant raw material (CFR 21)	Yes
S Halal and Kosher compliant Yes Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 20 mm Net Weight	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Min. usage temperature in food contact) 175 °C Min. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004634	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Box Quantity	10 Pcs.
Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Quantity per Pallet (80 x 120 x 200 cm)	3150 Pcs
Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004644	Quantity Per Layer (Pallet)	150 Pcs.
Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Box Length	260 mm
Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Box Width	230 mm
Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Box Height	85 mm
Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Length	235 mm
Net Weight bag 0,076 kg Weight cardboard 0,00402 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Width	100 mm
Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Height	20 mm
Weight cardboard0,006 kgTare total0,01002 kgGross Weight0,09 kgCubik metre0,00047 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Net Weight	0,076 kg
Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Weight bag	0,00402 kg
Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Weight cardboard	0,006 kg
Cubik metre0,00047 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Tare total	0,01002 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Gross Weight	0,09 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Cubik metre	0,00047 M3
Max usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Max usage temperature (food contact)	175 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Max usage temperature (non food contact)	175 °C
Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022004634GTIN-14 Number (Box quantity)15705028004642	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous Plastics Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705022004634 GTIN-14 Number (Box quantity) 15705028004642	Max. pH-value in Usage Concentration	10,5 pH
GTIN-14 Number (Box quantity) 15705028004642	Recycling Symbol "7", Miscellaneous Plastics	Yes
	Gtin-13 Number	5705022004634
Customs Tariff No. 39241000	GTIN-14 Number (Box quantity)	15705028004642
	Customs Tariff No.	39241000

12/1/2020 2/3

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

12/1/2020 3/3