Hand Scraper, 75 mm, White





Designed for cleaning small spaces and rounded equipment such as large bowls, this narrow hand scraper is ideal for loosening stubbon dirt, including pastry, chocolate and burnt food. The polypropylene material reduces the risk of scratching sensitive surfaces.

Technical Data

Blade Thickness 3,3 mm Material Polypropylene Complies with (EC) 1935/2004 on food contact materials* Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs Quantity Per Layer (Pallet) 4000 Pcs Box Length 299 mm Box Height 175 mm Length 75 mm Width 18 mm Height 175 mm Weight bag 0,00 kg Weight bag 0,00 kg Weight cardboard 0,00 kg Gross Weight 0,00 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact)	Item Number	40605
Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight bag 0,05 kg Weight cardboard 0,06 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 Mg Cubik metre 0,000283 Mg Cubik metre 0,000283 Mg Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Tood contact) 100 °C <	Blade Thickness	3,3 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 175 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,04 kg Weight cardboard 0,00 kg Tare total 0,01 kg Gross Weight 0,00 kg Cubik metre 0,000 kg Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) <	Material	Polypropylene
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,04 kg Weight cardboard 0,06 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (mor food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,04 kg Weight cardboard 0,06 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentrat		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Uength 75 mm Width 18 mm Height 210 mm Net Weight bag 0,05 kg Weight cardboard 0,05 kg Weight cardboard 0,06 kg Tare total 0,01 kg Gross Weight 0,00 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Poly	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Width 18 mm Height 210 mm Net Weight 0.05 kg Weight bag 0.004 kg Weight cardboard 0.00 kg Tare total 0.01 kg Gross Weight 0.00 kg Cubik metre 0.000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Poly	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,004 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max cleaning temperature (Food contact) 100 °C Max usage temperature (food contact) 100 °C Min. usage temperatures 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,004 kg Weight cardboard 0,00 kg Tare total 0,00 kg Gross Weight 0,00 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 4000 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight bag 0,004 kg Weight cardboard 0,006 kg Tare total 0,001 kg Gross Weight 0,006 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 400 Pcs. Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight bag 0,05 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,00 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Box Quantity	25 Pcs.
Box Length 290 mm Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight bag 0,005 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Quantity per Pallet (80 x 120 x 200 cm)	4000 Pcs
Box Width 195 mm Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,004 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Quantity Per Layer (Pallet)	400 Pcs.
Box Height 175 mm Length 75 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,004 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,00 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Box Length	290 mm
Length 75 mm Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,004 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Box Width	195 mm
Width 18 mm Height 210 mm Net Weight 0,05 kg Weight bag 0,004 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Box Height	175 mm
Height 210 mm Net Weight 0,05 kg Weight bag 0,004 kg Weight cardboard 0,006 kg Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Length	75 mm
Net Weight bag0,05 kgWeight cardboard0,006 kgTare total0,01 kgGross Weight0,06 kgCubik metre0,000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Width	18 mm
Weight bag0,004 kgWeight cardboard0,006 kgTare total0,01 kgGross Weight0,006 kgCubik metre0,000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Height	210 mm
Weight cardboard0,006 kgTare total0,01 kgGross Weight0,06 kgCubik metre0,000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Net Weight	0,05 kg
Tare total 0,01 kg Gross Weight 0,06 kg Cubik metre 0,000283 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020406058	Weight bag	0,004 kg
Gross Weight0,06 kgCubik metre0,000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Weight cardboard	0,006 kg
Cubik metre0,000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Tare total	0,01 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Gross Weight	0,06 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Cubik metre	0,000283 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020406058	Max. drying temperature	120 °C
Recycling Symbol "5", Polypropylene (PP) Stin-13 Number 5705020406058	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020406058	Max. pH-value in Usage Concentration	10,5 pH
	Recycling Symbol "5", Polypropylene (PP)	Yes
GTIN-14 Number (Box quantity) 15705020406055	Gtin-13 Number	5705020406058
	GTIN-14 Number (Box quantity)	15705020406055

2/2/2021 2/3

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

2/2/2021 3/3