UST Broom, 400 mm, Medium, Blue





This ULTRA SAFE TECHNOLOGY (UST) Broom comes with angled Filament Security Units for effective sweeping of dry and wet surfaces in high-risk areas. All UST brooms and brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

Technical Data

Material Polyester Glass reinforced Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Height 95 mm Net Weight 0,4 kg Weight bag 0,0063 kg	Item Number	31733
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA2012770088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 11 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Width 50 mm Width 50 mm Net Weight bag 0,0063 kg Weight cardboard 1,0,375 kg Gross Weight 0,044 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) Recommended sterilisation temperature (Autoclave) 11 °C Max. cleaning temperature 100 °C Max. pH-value in Usage Concentration 10,5 pH	Visible bristle length	54 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Wes the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Width 400 mm Width 50 mm Height 95 mm Net Weight bag 0,0063 kg Weight cardboard 1,044 kg Weight cardboard 7,0312 kg Gross Weight 0,044 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) Recommended sterilisation temperature (Autoclave) Max. drying temperature 100 °C Max. drying temperature Min. usage temperature Min. usage temperature Min. usage temperature Max. pH-value in Usage Concentration 10,5 pH	Material	Glass reinforced
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Pac201270087 PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity per Pallet (80 x 120 x 200 cm) Box Length Box Height Length Height Destrict Height Destric	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270087 PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) At 10 mm Box Width Pass Width Pass Weight Pass Height Pass Heigh		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight bag 0,063 kg Weight cardboard 0,0312 kg Tare total 0,0312 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature in Usage Concentration 10,5 pH	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Patent Pending/Patent No. Patent Pending/Patent Pending/Paten	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270087 PA201270088 PA201270089 PA201	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending/Patent No. PA201270087 PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight bag 0,0063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature³ -20 °C Min. usage temperature in Usage Concentration 10,5 pH	Use of phthalates and bisphenol A	No
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight bag 0,063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 1 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight 0,4 kg Weight bag 0,0063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Patent Pending/Patent No.	the state of the s
Quantity Per Layer (Pallet) 1 Pcs. Box Length 410 mm Box Width 290 mm Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight bag 0,0063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Box Quantity	10 Pcs.
Box Length 410 mm Box Width 290 mm Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight bag 0,0063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Box Width 290 mm Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight bag 0,0063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 200 mm Length 400 mm Width 50 mm Height 95 mm Net Weight 0,4 kg Weight bag 0,0063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Box Length	410 mm
Length400 mmWidth50 mmHeight95 mmNet Weight bag0,063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Box Width	290 mm
Width 50 mm Height 95 mm Net Weight 0,4 kg Weight bag 0,0063 kg Weight cardboard 0,0312 kg Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 3 -20 °C Max. pH-value in Usage Concentration 10,5 pH	Box Height	200 mm
Height95 mmNet Weight0,4 kgWeight bag0,0063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Length	400 mm
Net Weight bag0,4 kgWeight bag0,0063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Width	50 mm
Weight bag0,0063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Height	95 mm
Weight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Net Weight	0,4 kg
Tare total 0,0375 kg Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 3 -20 °C Max. pH-value in Usage Concentration 10,5 pH	Weight bag	0,0063 kg
Gross Weight 0,44 kg Cubik metre 0,0019 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 3 -20 °C Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,0312 kg
Cubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Tare total	0,0375 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Gross Weight	0,44 kg
Max usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,0019 M3
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Max usage temperature (food contact)	80 °C
Max. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	80 °C
Max. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. pH-value in Usage Concentration	10,5 pH
	Min. pH-value in usage concentration	2 pH

2/2/2021 2/3

Recycling Symbol "7", Miscellaneous Plastics	Yes
Gtin-13 Number	5705020317330
GTIN-14 Number (Box quantity)	15705020317337
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

2/2/2021 3/3