

29585

Aluminum Handle, Ø25 mm,  
1260 mm, White



This handle with colour-coded grip can be used with any product in the Vikan range.

# Technical Data

<b>Item Number</b>	29585
<b>Material</b>	Anodised Aluminium Polypropylene
<b>Recycling Symbol "7", Miscellaneous Plastics</b>	No
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>FDA compliant raw material (CFR 21)</b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>California Proposition 65 Compliant</b>	Yes
<b>Use of phthalates and bisphenol A</b>	No
<b>Is Halal and Kosher compliant</b>	Yes
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>	500 Pcs
<b>Quantity Per Layer (Pallet)</b>	50 Pcs.
<b>Product Diameter</b>	25 mm
<b>Length</b>	1260 mm
<b>Width</b>	25 mm
<b>Height</b>	25 mm
<b>Net Weight</b>	0.3 kg
<b>Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))</b>	0.005 kg
<b>Weight cardboard (Recycling symbol "20" PAP)</b>	0.014 kg
<b>Tare total</b>	0.019 kg
<b>Gross Weight</b>	0.32 kg
<b>Cubik metre</b>	0.000788 M3
<b>Recommended sterilisation temperature (Autoclave)</b>	100 °C
<b>Max usage temperature (food contact)</b>	100 °C
<b>Max usage temperature (non food contact)</b>	100 °C
<b>Min. usage temperature<sup>3</sup></b>	-20 °C
<b>Max. drying temperature</b>	100 °C
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	8 pH
<b>Gtin-13 Number</b>	5705020295850
<b>GTIN-14 Number (Box quantity)</b>	15705020295857
<b>Customs Tariff No.</b>	76169990
<b>Country of origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.