Broom, Angle Cut, 290 mm, Very hard, Red





Easily clean narrow spaces between equipment prior to scrubbing with this versatile Angle Cut Broom featuring angled bristles. Ideal for removing dirt and larger food particles from moist surfaces.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA complient raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Jee of phthalates and bisphenol A Shalal and Kosher compliant Sox Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) Audity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Height Length With 40 mm Height Vet Weight No Height Polypropylene Polyester Steel (AISI 304) No Service Steel (AISI 304) Materials Polypropylene Polyester Steel (AISI 304) Yes Porducturing Practice Polyester Tyes No Meets the REACH Regulation (EC) No. 1907/2006 Yes Possible of phthalates and bisphenol A No No Service Steel (AISI 304) No N	Item Number	29144
Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Jee of phthalates and bisphenol A Sox Quantity 10 Pos. Quantity per Pallet (80 x 120 x 200 cm) Auditity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Width Sox Width Sox Height Length Welt Weight Welt Weight Welt Weight Welt Weight Coubik metre Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Vessar Poologic Concentration Yes Cood Cond Contact (10,5 ph. 10,5 p	Visible bristle length	170 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Jse of phthalates and bisphenol A No s Halal and Kosher compliant Yes Sox Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Sox Length 415 mm Sox Width 300 mm Sox Width 300 mm Not Height Length Width 40 mm Height Net Weight bag Neight cardboard Tare total Oncolor Note Weight Cubik metre Oncolor Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Max usage temperature Max. drying temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage Concentration 10.5 pH Max. pH-value in usage Concentration 10.5 pH Max. pH-value in usage Concentration 10.5 pH	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Joe of phthalates and bisphenol A No is Halal and Kosher compliant Yes Sox Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Sox Length 415 mm Sox Width 300 mm Sox Width 300 mm Notth Height 10 Pcs. Wight Cardboard 10 Pcs. Weight Cardboard 10 Pcs. Wax. cleaning temperature (Dishwasher) 10 Pcs. Wax. cleaning temperature (Tood contact) Max. usage temperature (non food contact) Max. usage temperature 100 Pcs. Wax. drying temperature 100 Pcs. Wax. pH-value in usage Concentration 10,5 pH Max. pH-value in Usage Concentration 10,5 pH Max. pH-value in Usage Concentration 10,5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Jose of phthalates and bisphenol A No s Halal and Kosher compliant Yes Countity Quantity Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length At 15 mm Sox Width Sox Width Countity Note Weight Net Weight Net Weight Neight cardboard Countity Neight cardboard Countity Coubik metre Quantity Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature Max. drying temperature Max. drying temperature Min. usage Concentration Max. pH-value in usage Concentration Max. pH-value in usage Concentration No Pess No P	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Jee of pithalates and bisphenol A Shalal and Kosher compliant Sea Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Height Length Width Height Net Weight Neight bag Neight cardboard Fores Weight Cubik metre Quantity Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature Max. drying temperature Max. drying temperature Min. usage concentration Max. pH-value in usage Concentration No 2 pH No 2 ph No 2 ph No 2 ph Max. pH-value in Usage Concentration No 2 pH No 2 ph Max. pH-value in Usage Concentration No 2 ph No 2 ph Max. pH-value in Usage Concentration No 2 ph No 2 ph Max. pH-value in Usage Concentration No 2 ph No 2 ph Max. pH-value in Usage Concentration No No 2 ph Max. pH-value in Usage Concentration No No 2 ph Max. pH-value in Usage Concentration No No No No No No No No No	FDA compliant raw material (CFR 21)	Yes
Jse of phthalates and bisphenol A s Halal and Kosher compliant Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Height Length Width Height Net Weight Neight bag Noight cardboard Fores total Cubik metre Quantity Per Layer (Pallet) Sox Height Sox Width Sox Height Sox Width Sox Height S	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Width Box Width Box Height Length Width Height Net Weight bag Weight cardboard Gross Weight Cubik metre Quontity Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature Max. drying temperature Min. pH-value in usage concentration Yes Recommended to Pos As Pos Recommended temperature Max. pH-value in usage concentration 10.5 pH	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 415 mm Box Width 300 mm Box Height 210 mm Length 290 mm Width 40 mm Height 270 mm Net Weight bag 0,0129 kg Weight cardboard 0,029 kg Gross Weight 0,5 kg Cubik metre 0,03132 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) So Pes. Sox Length 415 mm Sox Width Sox Height Length Length Length Width Height Length Wet Weight Weight bag Weight cardboard Fare total Cubik metre Cubik metre Quantity Per Layer (Pallet) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature Max. drying temperature Max. drying temperature Min. pH-value in usage concentration 480 Pcs. Recommended sterilisation temperature 415 mm 420 mm 440 mm 44	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) Box Length Autor Midth Box Width Cength Cengt	Box Quantity	10 Pcs.
Sox Length 315 mm 300 mm 30x Height 210 mm 290 mm 30x Height 210 mm 290 mm 30x Height 270 mm 30x Height 27	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Sox Width 300 mm Sox Height 210 mm 290 mm Nidth 40 mm	Quantity Per Layer (Pallet)	80 Pcs.
Sox Height 210 mm	Box Length	415 mm
Nidth 40 mm Height 270 mm Net Weight 0,463 kg Weight bag 0,0129 kg Weight cardboard 0,029 kg Fare total 0,0419 kg Gross Weight 0,5 kg Cubik metre 0,003132 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (10 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Width	300 mm
Width40 mmHeight270 mmNet Weight0,463 kgWeight bag0,0129 kgWeight cardboard0,029 kgFare total0,0419 kgGross Weight0,5 kgCubik metre0,003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Box Height	210 mm
Net Weight 0,463 kg Weight bag 0,0129 kg Weight cardboard 0,029 kg Fare total 0,0419 kg Gross Weight 0,0419 kg Cubik metre 0,003132 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Length	290 mm
Neight bag 0,0129 kg Weight cardboard 0,029 kg Fare total 0,0419 kg Gross Weight 0,0419 kg Cubik metre 0,003132 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature Min. pH-value in usage Concentration 10,5 pH Max. pH-value in Usage Concentration 10,5 pH	Width	40 mm
Weight bag0,0129 kgWeight cardboard0,029 kgFare total0,0419 kgGross Weight0,5 kgCubik metre0,003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Height	270 mm
Weight cardboard0,029 kgFare total0,0419 kgGross Weight0,5 kgCubik metre0,003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Net Weight	0,463 kg
Tare total 0,0419 kg Gross Weight 0,5 kg Cubik metre 0,003132 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight bag	0,0129 kg
Gross Weight 0,5 kg Cubik metre 0,003132 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,029 kg
Cubik metre 0,003132 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Tare total	0,0419 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Gross Weight	0,5 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 93 °C 80 °C 80 °C 93 °C 93 °C 96 °C 97 °C 98 °C 98 °C 99 °C 90 °C 9	Cubik metre	0,003132 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 100 °C 2 pH 101 °C 102 °C 103 °C 104 °C 105 °C 106 °C 107 °C 108 °C 109 °C 100 °C 1	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH
3tin-13 Number 5705020291449	Max. pH-value in Usage Concentration	10,5 pH
	Gtin-13 Number	5705020291449

6/10/2021 2/3

GTIN-14 Number (Box quantity)	15705020291446
Customs Tariff No.	96039091
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

6/10/2021 3/3