UST Bench Brush, 330 mm, Medium, Yellow





This ULTRA SAFE TECHNOLOGY (UST) Bench Brush with Ultra Filament Security is designed for effective removal of damp and wet particles from conveyor belts in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

Technical Data

Material Polyester Glass reinforced Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Height 135 mm Width 35 mm Width 35 mm Net Weight 0,18 kg Weight cardboard 0,0247 kg Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Max usage	Item Number	45856
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA2012770088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 11040 Pcs Quantity Per Layer (Pallet) 11 Pcs. Box Length 135 mm Box Width 135 mm Width 135 mm Width 135 mm Net Weight 136 mm Net Weight 137 mm Net Weight 138 mm Net Weight 139 mm Net Weight 130 mm Net Weight 130 mm Net Weight 131 mm Net Weight 132 mm Net Weight 133 mm Net Weight acrdboard 10,0247 kg Gross Weight 10,21 kg Gross Weight 10,21 kg Cubik metre 10,001559 M3 Max usage temperature (food contact) 10,000 mm Max usage temperatur	Visible bristle length	57 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Wes of phthalates and bisphenol A Is Halal and Kosher compliant Patent Pending/Patent No. Quantity Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Height Box Height 135 mm Box Height 135 mm Net Weight Weight cardboard Tare total Quotes Weight Cubik metre Quotes Weight Cubik metre Quotes Weight emperature (Incomposition) Max usage temperature (Incomposition) Max. drying temperature Max. drying temperature Max. pH-value in Usage Concentration No Pass Yes Yes Yes Yes Ansuary Pass Yes Mess Yes Mess M	Material	Glass reinforced
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Pac201270087, PA201270088 Box Quantity Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Height Length Box Height 135 mm Net Weight 135 mm Net Weight cardboard 10,0247 kg Gross Weight 10,0247 kg Gross Weight 10,0245 kg Gross Weight 10,0215 kg Gross Weight 10,0215 kg Gross Weight 10,0215 kg Gross Weight 10,0215 kg Cubik metre 10,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (Inon food contact) 80 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Max. ph-value in Usage Concentration 10,5 ph	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Patent Pending/Patent No. React Squantity Pace Quantity		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight bag 0,048 kg Weight cardboard 0,0247 kg Gross Weight 0,0247 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 100 °C Max. pH-value in Usage Concentration 10,5 pH	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Patent Pending/Patent No. PA201270087, PA201270088 Box Quantity Poc. Quantity per Pallet (80 x 120 x 200 cm) Poc. Quantity Per Layer (Pallet) Poc. Box Length Poc Width Poc	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Yes Patent Pending/Patent No. PA201270087 PA201270088 PA201270089 PA201	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending/Patent No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight bag 0,048 kg Weight cardboard 0,0247 kg Tare total 0,0247 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature³ 20 °C Min. usage temperature³ 20 °C Max. pH-value in Usage Concentration 10,5 pH	Use of phthalates and bisphenol A	No
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs. Quantity Per Layer (Pallet) 1 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight 0,18 kg Weight bag 0,0048 kg Weight cardboard 0,0247 kg Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight 0,18 kg Weight bag 0,0048 kg Weight cardboard 0,0247 kg Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Patent Pending/Patent No.	
Quantity Per Layer (Pallet) 1 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight 0,18 kg Weight bag 0,0048 kg Weight cardboard 0,0247 kg Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Box Quantity	10 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight 0,18 kg Weight bag 0,0048 kg Weight cardboard 0,0247 kg Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	1040 Pcs
Box Width 290 mm Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight bag 0,048 kg Weight cardboard 0,0247 kg Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 135 mm Length 330 mm Width 35 mm Height 135 mm Net Weight 0,18 kg Weight bag 0,0048 kg Weight cardboard 0,0247 kg Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Box Length	380 mm
Length330 mmWidth35 mmHeight135 mmNet Weight0,18 kgWeight bag0,0048 kgWeight cardboard0,0247 kgTare total0,0295 kgGross Weight0,21 kgCubik metre0,001559 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Box Width	290 mm
Width35 mmHeight135 mmNet Weight0,18 kgWeight bag0,0048 kgWeight cardboard0,0247 kgTare total0,0295 kgGross Weight0,21 kgCubik metre0,001559 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Box Height	135 mm
Height135 mmNet Weight0,18 kgWeight bag0,0048 kgWeight cardboard0,0247 kgTare total0,0295 kgGross Weight0,21 kgCubik metre0,001559 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Length	330 mm
Net Weight0,18 kgWeight bag0,0048 kgWeight cardboard0,0247 kgTare total0,0295 kgGross Weight0,21 kgCubik metre0,001559 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Width	35 mm
Weight bag0,0048 kgWeight cardboard0,0247 kgTare total0,0295 kgGross Weight0,21 kgCubik metre0,001559 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Height	135 mm
Weight cardboard0,0247 kgTare total0,0295 kgGross Weight0,21 kgCubik metre0,001559 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Net Weight	0,18 kg
Tare total 0,0295 kg Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 3 -20 °C Max. pH-value in Usage Concentration 10,5 pH	Weight bag	0,0048 kg
Gross Weight 0,21 kg Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 3 -20 °C Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,0247 kg
Cubik metre 0,001559 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 3 -20 °C Max. pH-value in Usage Concentration 10,5 pH	Tare total	0,0295 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Gross Weight	0,21 kg
Max usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,001559 M3
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Max usage temperature (food contact)	80 °C
Max. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	80 °C
Max. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ -20 °C Max. pH-value in Usage Concentration 10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. pH-value in Usage Concentration	10,5 pH
	Min. pH-value in usage concentration	2 pH

2/2/2021 2/3

Recycling Symbol "7", Miscellaneous Plastics	Yes
Gtin-13 Number	5705020458569
GTIN-14 Number (Box quantity)	15705020458566
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

2/2/2021 3/3